

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

	POINT NO.	NORTHING	EASTING	DIFFERENCE	2001	2020
1	623	6155.529	5228.813	-5.9882	1100.18	1094.19
2	477	6555.529	4728.813	-5.0714	1102.41	1097.34
3	423	7955.529	4528.813	-4.9982	1102.83	1097.83
4	424	8055.529	4528.813	-4.8555	1101.38	1096.52
5	785	5555.529	5728.813	-4.75	1098.17	1093.42
6	298	7355.529	3828.813	-4.5456	1103.35	1098.81
7	79	7455.529	3128.813	-4.3476	1102.2	1097.86
8	36	9555.529	2928.813	-4.2395	1101.27	1097.03
9	498	9255.529	4728.813	-3.9676	1108.19	1104.22
10	142	7355.529	3328.813	-3.7496	1098.48	1094.73
11	106	7155.529	3228.813	-3.6782	1099.01	1095.33
12	279	7455.529	3728.813	-3.5281	1102.24	1098.71
13	758	5555.529	5628.813	-3.4821	1097.39	1093.91
14	869	5755.529	6128.813	-3.4294	1099.5	1096.07
15	313	7455.529	3928.813	-3.4176	1103.41	1099.99
16	686	8955.529	5328.813	-3.413	1103.67	1100.26
17	507	6555.529	4828.813	-3.2321	1102.51	1099.28
18	299	7455.529	3828.813	-3.1412	1103.51	1100.37
19	125	5655.529	3328.813	-2.9913	1100.21	1097.22
20	35	9455.529	2928.813	-2.9781	1099.86	1096.88
21	220	8455.529	3528.813	-2.975	1096.56	1093.58
22	730	6055.529	5528.813	-2.8516	1101.81	1098.95
23	97	6055.529	3228.813	-2.7494	1100.89	1098.14
24	96	5955.529	3228.813	-2.6656	1101	1098.34
25	99	6255.529	3228.813	-2.6371	1101.13	1098.5
26	392	7655.529	4428.813	-2.6297	1100.92	1098.29
27	94	5755.529	3228.813	-2.5612	1100	1097.44
28	95	5855.529	3228.813	-2.55	1100.42	1097.87
29	150	8755.529	3328.813	-2.5428	1099.01	1096.47
30	742	7555.529	5528.813	-2.511	1099.23	1096.72
31	178	7255.529	3428.813	-2.4861	1099.15	1096.67
32	525	8955.529	4828.813	-2.4488	1103.45	1101
33	471	9655.529	4628.813	-2.3974	1101.05	1098.65
34	86	9255.529	3128.813	-2.3679	1107.36	1105
35	108	7355.529	3228.813	-2.3585	1101.03	1098.67
36	184	8455.529	3428.813	-2.3573	1097.07	1094.72

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

37	300	7555.529	3828.813	-2.3017	1103	1100.7
38	51	7355.529	3028.813	-2.3	1100	1097.7
39	98	6155.529	3228.813	-2.2792	1100.06	1097.78
40	162	5655.529	3428.813	-2.2665	1099.85	1097.59
41	615	8855.529	5128.813	-2.261	1103.16	1100.9
42	141	7255.529	3328.813	-2.2538	1097.5	1095.25
43	733	6355.529	5528.813	-2.25	1101.62	1099.37
44	198	5655.529	3528.813	-2.2485	1099.95	1097.7
45	864	7955.529	6028.813	-2.2283	1103.3	1101.07
46	321	8255.529	3928.813	-2.2092	1103.05	1100.84
47	105	7055.529	3228.813	-2.1911	1099	1096.81
48	534	6555.529	4928.813	-2.1023	1101.83	1099.73
49	482	7655.529	4728.813	-2.0663	1100.21	1098.14
50	179	7355.529	3428.813	-2.02	1099.02	1097
51	449	6855.529	4628.813	-2.0132	1102.07	1100.06
52	510	6855.529	4828.813	-1.9351	1099.43	1097.49
53	181	8155.529	3428.813	-1.919	1111.84	1109.92
54	327	7855.529	4028.813	-1.9167	1100.93	1099.01
55	741	7455.529	5528.813	-1.9139	1108.48	1106.57
56	126	5755.529	3328.813	-1.8941	1101.01	1099.11
57	502	9655.529	4728.813	-1.8605	1103.63	1101.77
58	249	7255.529	3628.813	-1.8593	1101.61	1099.75
59	314	7555.529	3928.813	-1.8214	1102.75	1100.93
60	757	9655.529	5528.813	-1.7701	1105.43	1103.66
61	304	7955.529	3828.813	-1.7685	1100.73	1098.96
62	784	9655.529	5628.813	-1.765	1105.33	1103.57
63	216	7455.529	3528.813	-1.7642	1101.72	1099.96
64	409	5455.529	4528.813	-1.7403	1098.42	1096.68
65	219	8355.529	3528.813	-1.7173	1097.92	1096.21
66	413	5855.529	4528.813	-1.6791	1097.3	1095.62
67	250	7355.529	3628.813	-1.6765	1100.73	1099.05
68	325	7655.529	4028.813	-1.6757	1102.37	1100.69
69	396	8055.529	4428.813	-1.6568	1098.77	1097.11
70	366	7655.529	4328.813	-1.655	1101.76	1100.11
71	320	8155.529	3928.813	-1.6456	1099.43	1097.78
72	322	7355.529	4028.813	-1.6379	1112.66	1111.02
73	347	7555.529	4228.813	-1.6369	1102.12	1100.48
74	72	6755.529	3128.813	-1.6314	1105.68	1104.05
75	183	8355.529	3428.813	-1.6174	1096.31	1094.7

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

76	833	5855.529	5928.813	-1.6167	1107.36	1105.75
77	197	9755.529	3428.813	-1.6011	1099.55	1097.95
78	378	9455.529	4328.813	-1.5966	1109.03	1107.44
79	364	7455.529	4328.813	-1.5924	1112.99	1111.4
80	330	8155.529	4028.813	-1.5829	1099.43	1097.84
81	798	7955.529	5728.813	-1.5594	1102.68	1101.12
82	834	6555.529	5928.813	-1.5577	1109.54	1107.98
83	306	8155.529	3828.813	-1.5429	1099.93	1098.39
84	324	7555.529	4028.813	-1.5336	1102.7	1101.17
85	292	9155.529	3728.813	-1.5326	1102.8	1101.27
86	251	7455.529	3628.813	-1.5154	1101.32	1099.81
87	788	5855.529	5728.813	-1.4908	1102.77	1101.28
88	131	6255.529	3328.813	-1.4906	1100.65	1099.16
89	421	7755.529	4528.813	-1.471	1100	1098.52
90	15	9655.529	2828.813	-1.456	1108.8	1107.35
91	280	7555.529	3728.813	-1.449	1103.76	1102.31
92	1	5755.529	2828.813	-1.4464	1105.94	1104.5
93	513	7755.529	4828.813	-1.4421	1098.37	1096.93
94	475	5755.529	4728.813	-1.44	1095.52	1094.08
95	315	7655.529	3928.813	-1.4375	1102.33	1100.89
96	537	6855.529	4928.813	-1.4375	1096.03	1094.59
97	638	7655.529	5228.813	-1.4345	1098.17	1096.73
98	564	6955.529	5028.813	-1.4331	1096.24	1094.8
99	317	7855.529	3928.813	-1.4232	1100.67	1099.25
100	362	6755.529	4328.813	-1.4218	1099.1	1097.67
101	446	6555.529	4628.813	-1.4069	1099.86	1098.46
102	352	8055.529	4228.813	-1.3713	1098.85	1097.48
103	187	8755.529	3428.813	-1.3671	1097	1095.63
104	414	6555.529	4528.813	-1.3656	1100.24	1098.87
105	75	7055.529	3128.813	-1.3556	1099	1097.64
106	6	7055.529	2828.813	-1.3505	1106.64	1105.29
107	837	6855.529	5928.813	-1.3435	1099.01	1097.67
108	349	7755.529	4228.813	-1.3428	1101	1099.66
109	429	8555.529	4528.813	-1.3405	1104.26	1102.91
110	177	7155.529	3428.813	-1.3374	1098.74	1097.4
111	301	7655.529	3828.813	-1.3334	1102.48	1101.15
112	264	9255.529	3628.813	-1.3241	1100.64	1099.31
113	370	8055.529	4328.813	-1.3192	1099.88	1098.57
114	624	6255.529	5228.813	-1.3181	1096.62	1095.3

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

115	217	8155.529	3528.813	-1.3161	1110.84	1109.52
116	887	9655.529	6228.813	-1.311	1106.67	1105.36
117	333	7555.529	4128.813	-1.3055	1102.33	1101.02
118	675	7755.529	5328.813	-1.2954	1097.01	1095.71
119	794	7555.529	5728.813	-1.2787	1112.4	1111.13
120	746	7955.529	5528.813	-1.2528	1101.61	1100.36
121	350	7855.529	4228.813	-1.2395	1100.99	1099.75
122	278	7355.529	3728.813	-1.2232	1100.02	1098.8
123	336	7855.529	4128.813	-1.2211	1101.14	1099.92
124	496	9055.529	4728.813	-1.2201	1101.07	1099.85
125	130	6155.529	3328.813	-1.2157	1100.97	1099.75
126	627	6555.529	5228.813	-1.2125	1094	1092.79
127	318	7955.529	3928.813	-1.2074	1100.4	1099.19
128	203	6155.529	3528.813	-1.1983	1102	1100.8
129	328	7955.529	4028.813	-1.1915	1100.95	1099.76
130	774	8655.529	5628.813	-1.1915	1112.45	1111.26
131	348	7655.529	4228.813	-1.1894	1101.38	1100.19
132	839	7655.529	5928.813	-1.1886	1101.86	1100.67
133	775	8755.529	5628.813	-1.1822	1101.51	1100.33
134	193	9355.529	3428.813	-1.1814	1098.49	1097.31
135	339	8155.529	4128.813	-1.1761	1098.77	1097.6
136	497	9155.529	4728.813	-1.1595	1106.58	1105.42
137	270	6355.529	3728.813	-1.1532	1111.06	1109.91
138	452	7755.529	4628.813	-1.1488	1099	1097.85
139	393	7755.529	4428.813	-1.1486	1100.13	1098.98
140	420	7655.529	4528.813	-1.1234	1099.45	1098.33
141	335	7755.529	4128.813	-1.123	1101.85	1100.73
142	630	6855.529	5228.813	-1.1205	1093.99	1092.87
143	545	8155.529	4928.813	-1.1101	1102.96	1101.85
144	566	7155.529	5028.813	-1.0881	1110.61	1109.52
145	337	7955.529	4128.813	-1.0863	1101	1099.91
146	529	5455.529	4928.813	-1.0764	1103.79	1102.72
147	252	7555.529	3628.813	-1.0753	1112.27	1111.19
148	747	8655.529	5528.813	-1.0589	1110.7	1109.64
149	431	8755.529	4528.813	-1.0443	1096.46	1095.41
150	368	7855.529	4328.813	-1.0393	1100.58	1099.54
151	224	8855.529	3528.813	-1.0339	1099	1097.97
152	334	7655.529	4128.813	-1.0326	1101.89	1100.86
153	248	7155.529	3628.813	-1.0318	1100.31	1099.28

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

154	267	9555.529	3628.813	-1.0209	1099	1097.98
155	850	9555.529	5928.813	-1.012	1106.6	1105.58
156	703	7055.529	5428.813	-1.0007	1097.52	1096.52
157	307	8255.529	3828.813	-0.9942	1099.66	1098.67
158	669	7155.529	5328.813	-0.9907	1096.97	1095.97
159	215	7355.529	3528.813	-0.9874	1102.35	1101.36
160	144	8155.529	3328.813	-0.987	1107.34	1106.36
161	319	8055.529	3928.813	-0.9793	1100	1099.02
162	760	5755.529	5628.813	-0.9761	1094.82	1093.84
163	161	5555.529	3428.813	-0.9708	1099.47	1098.5
164	843	8855.529	5928.813	-0.9667	1112.19	1111.22
165	127	5855.529	3328.813	-0.9593	1101.01	1100.05
166	230	9455.529	3528.813	-0.9482	1098.43	1097.49
167	49	7155.529	3028.813	-0.9346	1097.23	1096.29
168	668	7055.529	5328.813	-0.9304	1095.49	1094.56
169	652	5455.529	5328.813	-0.9268	1109.88	1108.95
170	13	9455.529	2828.813	-0.9202	1109.36	1108.44
171	277	7255.529	3728.813	-0.9172	1102.6	1101.68
172	823	8955.529	5828.813	-0.9168	1102.7	1101.78
173	660	6255.529	5328.813	-0.906	1093	1092.1
174	369	7955.529	4328.813	-0.9052	1100.1	1099.19
175	633	7155.529	5228.813	-0.9025	1095.76	1094.86
176	3	5955.529	2828.813	-0.8948	1104	1103.11
177	128	5955.529	3328.813	-0.8882	1101.86	1100.97
178	395	7955.529	4428.813	-0.8876	1100.41	1099.52
179	380	5455.529	4428.813	-0.8837	1099.29	1098.41
180	506	5755.529	4828.813	-0.8818	1097.55	1096.66
181	159	9655.529	3328.813	-0.8653	1099.96	1099.09
182	793	6955.529	5728.813	-0.8575	1111.46	1110.61
183	816	6855.529	5828.813	-0.8575	1099.08	1098.23
184	836	6755.529	5928.813	-0.8517	1098.82	1097.97
185	231	9555.529	3528.813	-0.8495	1097.82	1096.97
186	699	6655.529	5428.813	-0.8487	1094	1093.15
187	107	7255.529	3228.813	-0.8463	1100.37	1099.53
188	662	6455.529	5328.813	-0.8452	1094	1093.15
189	351	7955.529	4228.813	-0.8341	1100.25	1099.41
190	71	6255.529	3128.813	-0.8243	1111.29	1110.47
191	807	9555.529	5728.813	-0.8238	1100.72	1099.9
192	394	7855.529	4428.813	-0.8232	1100.18	1099.36

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

193	484	7855.529	4728.813	-0.8214	1103.22	1102.4
194	284	8355.529	3728.813	-0.816	1099.53	1098.72
195	594	6755.529	5128.813	-0.8145	1093.9	1093.09
196	282	8155.529	3728.813	-0.8101	1099.17	1098.36
197	422	7855.529	4528.813	-0.8097	1099.82	1099.01
198	346	7455.529	4228.813	-0.8068	1110.67	1109.87
199	232	9655.529	3528.813	-0.8058	1098.92	1098.11
200	483	7755.529	4728.813	-0.8053	1098.42	1097.62
201	859	6955.529	6028.813	-0.7999	1109.11	1108.31
202	813	6555.529	5828.813	-0.7941	1109.31	1108.52
203	213	7155.529	3528.813	-0.7889	1100	1099.21
204	735	6555.529	5528.813	-0.7876	1094.7	1093.92
205	91	9755.529	3128.813	-0.7835	1099.59	1098.8
206	661	6355.529	5328.813	-0.7772	1093.39	1092.61
207	487	8155.529	4728.813	-0.7749	1101.55	1100.78
208	590	6355.529	5128.813	-0.774	1107.53	1106.76
209	353	8155.529	4228.813	-0.7721	1098.51	1097.74
210	687	5455.529	5428.813	-0.7716	1110.61	1109.84
211	244	6755.529	3628.813	-0.768	1101.39	1100.62
212	199	5755.529	3528.813	-0.763	1100.93	1100.17
213	90	9655.529	3128.813	-0.7564	1100.43	1099.68
214	286	8555.529	3728.813	-0.7512	1101.82	1101.07
215	535	6655.529	4928.813	-0.7457	1095.17	1094.43
216	575	8155.529	5028.813	-0.7456	1100.04	1099.29
217	123	9755.529	3228.813	-0.7401	1100.57	1099.83
218	379	9555.529	4328.813	-0.7398	1109.75	1109.01
219	186	8655.529	3428.813	-0.7219	1097.91	1097.19
220	654	5655.529	5328.813	-0.72	1093.74	1093.02
221	646	8455.529	5228.813	-0.7192	1100.24	1099.53
222	255	8355.529	3628.813	-0.7169	1099.66	1098.94
223	38	9755.529	2928.813	-0.7158	1101.95	1101.23
224	835	6655.529	5928.813	-0.709	1099.53	1098.82
225	430	8655.529	4528.813	-0.7051	1103.73	1103.02
226	584	5555.529	5128.813	-0.7006	1095.9	1095.2
227	212	7055.529	3528.813	-0.6982	1098.64	1097.94
228	323	7455.529	4028.813	-0.697	1103.69	1102.99
229	14	9555.529	2828.813	-0.6943	1109.42	1108.73
230	37	9655.529	2928.813	-0.6941	1097.27	1096.57
231	331	8255.529	4028.813	-0.6936	1108.69	1108

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

232	593	6655.529	5128.813	-0.6889	1094.65	1093.96
233	759	5655.529	5628.813	-0.6865	1094	1093.32
234	849	9455.529	5928.813	-0.6837	1103.47	1102.79
235	657	5955.529	5328.813	-0.6765	1092.13	1091.45
236	555	5555.529	5028.813	-0.6762	1094.82	1094.15
237	453	7855.529	4628.813	-0.6756	1099.87	1099.19
238	664	6655.529	5328.813	-0.6735	1094	1093.33
239	427	8355.529	4528.813	-0.6732	1097.58	1096.91
240	605	7855.529	5128.813	-0.6687	1100.07	1099.4
241	682	8555.529	5328.813	-0.6659	1105.44	1104.78
242	129	6055.529	3328.813	-0.6593	1100.87	1100.21
243	495	8955.529	4728.813	-0.6567	1098.67	1098.01
244	329	8055.529	4028.813	-0.6527	1099.47	1098.81
245	8	7255.529	2828.813	-0.6483	1104.39	1103.74
246	241	6455.529	3628.813	-0.6475	1100.95	1100.3
247	418	6955.529	4528.813	-0.6425	1110.76	1110.12
248	143	7455.529	3328.813	-0.6389	1105.69	1105.05
249	481	7555.529	4728.813	-0.6368	1111.66	1111.02
250	367	7755.529	4328.813	-0.6349	1101.32	1100.68
251	667	6955.529	5328.813	-0.6303	1094.54	1093.91
252	727	5755.529	5528.813	-0.63	1092.89	1092.26
253	524	8855.529	4828.813	-0.6272	1098.67	1098.05
254	476	5855.529	4728.813	-0.6236	1110.97	1110.34
255	316	7755.529	3928.813	-0.623	1101.47	1100.85
256	870	5855.529	6128.813	-0.6139	1104.42	1103.81
257	659	6155.529	5328.813	-0.6138	1092.82	1092.2
258	63	9755.529	3028.813	-0.6045	1099.12	1098.51
259	25	7155.529	2928.813	-0.586	1097.03	1096.45
260	465	9055.529	4628.813	-0.5832	1100.2	1099.62
261	492	8655.529	4728.813	-0.5806	1098.52	1097.94
262	653	5555.529	5328.813	-0.5583	1097.16	1096.61
263	665	6755.529	5328.813	-0.5577	1093.99	1093.43
264	585	5655.529	5128.813	-0.5566	1093.84	1093.28
265	450	7555.529	4628.813	-0.5535	1110.87	1110.31
266	154	9155.529	3328.813	-0.5516	1096	1095.45
267	748	8755.529	5528.813	-0.5506	1099.87	1099.32
268	698	6555.529	5428.813	-0.5449	1094	1093.45
269	626	6455.529	5228.813	-0.5386	1094.06	1093.52
270	851	5555.529	6028.813	-0.5365	1102.36	1101.82

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

271	356	5555.529	4328.813	-0.5333	1094.64	1094.11
272	214	7255.529	3528.813	-0.527	1099.93	1099.4
273	229	9355.529	3528.813	-0.5256	1098	1097.48
274	163	5755.529	3428.813	-0.5246	1100.14	1099.61
275	592	6555.529	5128.813	-0.5074	1095.15	1094.64
276	690	5755.529	5428.813	-0.5063	1092.79	1092.29
277	809	5555.529	5828.813	-0.5049	1097.4	1096.9
278	844	8955.529	5928.813	-0.5008	1110.4	1109.9
279	361	6655.529	4328.813	-0.4994	1098.96	1098.46
280	305	8055.529	3828.813	-0.4965	1099.92	1099.42
281	569	7555.529	5028.813	-0.4942	1096.59	1096.09
282	345	6755.529	4228.813	-0.4926	1110.01	1109.51
283	570	7655.529	5028.813	-0.4881	1096	1095.51
284	120	9455.529	3228.813	-0.4803	1096.99	1096.51
285	556	5655.529	5028.813	-0.4735	1094.35	1093.88
286	773	7955.529	5628.813	-0.4672	1102.73	1102.27
287	512	7655.529	4828.813	-0.4643	1097.37	1096.9
288	269	9755.529	3628.813	-0.4542	1111.51	1111.05
289	227	9155.529	3528.813	-0.4504	1098.93	1098.48
290	389	6855.529	4428.813	-0.4418	1096.22	1095.78
291	691	5855.529	5428.813	-0.4418	1092.35	1091.91
292	868	5655.529	6128.813	-0.4354	1103.04	1102.6
293	701	6855.529	5428.813	-0.435	1094.24	1093.81
294	658	6055.529	5328.813	-0.4281	1092.36	1091.93
295	239	6255.529	3628.813	-0.427	1102	1101.57
296	132	6355.529	3328.813	-0.4266	1099.51	1099.09
297	637	7555.529	5228.813	-0.4258	1095.91	1095.49
298	151	8855.529	3328.813	-0.4218	1100.87	1100.45
299	377	9355.529	4328.813	-0.418	1109.23	1108.81
300	838	6955.529	5928.813	-0.4124	1111.43	1111.02
301	7	7155.529	2828.813	-0.4081	1103.21	1102.8
302	604	7755.529	5128.813	-0.4075	1099.7	1099.29
303	254	8255.529	3628.813	-0.4042	1098.37	1097.96
304	599	7255.529	5128.813	-0.4025	1095.82	1095.42
305	354	8255.529	4228.813	-0.401	1111.31	1110.91
306	680	8255.529	5328.813	-0.4004	1111.51	1111.11
307	293	9255.529	3728.813	-0.3968	1103.66	1103.26
308	533	5855.529	4928.813	-0.3943	1110.57	1110.17
309	597	7055.529	5128.813	-0.393	1094.65	1094.26

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

310	399	8355.529	4428.813	-0.3829	1109.57	1109.19
311	451	7655.529	4628.813	-0.3812	1098.88	1098.5
312	358	5755.529	4328.813	-0.376	1094.45	1094.07
313	663	6555.529	5328.813	-0.3756	1094	1093.62
314	256	8455.529	3628.813	-0.3686	1097.72	1097.35
315	228	9255.529	3528.813	-0.3679	1098	1097.63
316	628	6655.529	5228.813	-0.365	1094	1093.64
317	791	6755.529	5728.813	-0.3633	1094.91	1094.55
318	463	8855.529	4628.813	-0.3608	1096.02	1095.66
319	152	8955.529	3328.813	-0.3585	1103.27	1102.91
320	195	9555.529	3428.813	-0.3572	1097.75	1097.4
321	363	6855.529	4328.813	-0.3543	1099.55	1099.19
322	700	6755.529	5428.813	-0.3469	1093.99	1093.65
323	618	5655.529	5228.813	-0.3446	1093.54	1093.19
324	158	9555.529	3328.813	-0.3439	1097.17	1096.83
325	656	5855.529	5328.813	-0.3394	1092.67	1092.33
326	326	7755.529	4028.813	-0.3344	1102	1101.67
327	787	5755.529	5728.813	-0.334	1093.84	1093.51
328	261	8955.529	3628.813	-0.3312	1099	1098.67
329	365	7555.529	4328.813	-0.3266	1101.99	1101.66
330	697	6455.529	5428.813	-0.3237	1094.57	1094.25
331	803	9155.529	5728.813	-0.3173	1101.6	1101.29
332	706	7355.529	5428.813	-0.3153	1100.5	1100.19
333	670	7255.529	5328.813	-0.31	1096.83	1096.52
334	689	5655.529	5428.813	-0.3093	1093.6	1093.29
335	140	7155.529	3328.813	-0.3033	1096.07	1095.77
336	722	9455.529	5428.813	-0.303	1105.77	1105.47
337	804	9255.529	5728.813	-0.3022	1101.54	1101.24
338	631	6955.529	5228.813	-0.3016	1093.49	1093.19
339	311	8655.529	3828.813	-0.293	1111.46	1111.17
340	21	6155.529	2928.813	-0.2893	1109.56	1109.27
341	683	8655.529	5328.813	-0.2893	1099.8	1099.51
342	799	8755.529	5728.813	-0.277	1100.53	1100.26
343	877	7755.529	6128.813	-0.2758	1104.02	1103.74
344	642	8055.529	5228.813	-0.2699	1096.73	1096.46
345	518	8255.529	4828.813	-0.2697	1098.63	1098.36
346	802	9055.529	5728.813	-0.2596	1101.95	1101.69
347	308	8355.529	3828.813	-0.2589	1100.77	1100.51
348	166	6055.529	3428.813	-0.2557	1101.41	1101.15

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

349	726	5655.529	5528.813	-0.2556	1093.45	1093.2
350	634	7255.529	5228.813	-0.2548	1095.29	1095.03
351	253	8155.529	3628.813	-0.2525	1105.96	1105.71
352	386	6555.529	4428.813	-0.2505	1103.84	1103.59
353	609	8255.529	5128.813	-0.24	1098.36	1098.12
354	180	7455.529	3428.813	-0.2392	1102.89	1102.66
355	242	6555.529	3628.813	-0.2362	1100.63	1100.39
356	765	6655.529	5628.813	-0.236	1094.57	1094.34
357	119	9355.529	3228.813	-0.2358	1096	1095.76
358	790	6655.529	5728.813	-0.2311	1095.71	1095.48
359	435	9155.529	4528.813	-0.2307	1098.37	1098.14
360	403	9155.529	4428.813	-0.2269	1094.4	1094.17
361	222	8655.529	3528.813	-0.2226	1097.36	1097.13
362	692	5955.529	5428.813	-0.2203	1092	1091.78
363	756	9555.529	5528.813	-0.2187	1100.56	1100.34
364	287	8655.529	3728.813	-0.2162	1098.98	1098.76
365	384	5855.529	4428.813	-0.2089	1096.42	1096.21
366	302	7755.529	3828.813	-0.2056	1102	1101.79
367	863	7855.529	6028.813	-0.2047	1097.59	1097.39
368	57	8555.529	3028.813	-0.2043	1098.02	1097.81
369	62	9655.529	3028.813	-0.2036	1097.57	1097.37
370	831	5655.529	5928.813	-0.2015	1093.81	1093.61
371	884	9755.529	6128.813	-0.2002	1104.91	1104.71
372	736	6655.529	5528.813	-0.1983	1094.25	1094.05
373	208	6655.529	3528.813	-0.197	1099	1098.8
374	672	7455.529	5328.813	-0.1954	1095	1094.8
375	342	5755.529	4228.813	-0.1936	1101.88	1101.69
376	387	6655.529	4428.813	-0.1931	1094.67	1094.48
377	455	8055.529	4628.813	-0.1923	1107.17	1106.98
378	155	9255.529	3328.813	-0.1893	1096.89	1096.7
379	610	8355.529	5128.813	-0.1879	1098.72	1098.53
380	268	9655.529	3628.813	-0.1839	1104.09	1103.91
381	121	9555.529	3228.813	-0.1786	1095.54	1095.36
382	233	9755.529	3528.813	-0.1727	1101.78	1101.61
383	737	6755.529	5528.813	-0.1687	1094.52	1094.35
384	59	9355.529	3028.813	-0.1678	1096.8	1096.63
385	530	5555.529	4928.813	-0.1668	1094.84	1094.67
386	814	6655.529	5828.813	-0.1546	1098.81	1098.65
387	288	8755.529	3728.813	-0.1529	1101.66	1101.5

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

388	190	9055.529	3428.813	-0.1527	1096.59	1096.43
389	643	8155.529	5228.813	-0.1524	1097	1096.85
390	591	6455.529	5128.813	-0.1519	1097.57	1097.41
391	226	9055.529	3528.813	-0.1465	1098	1097.85
392	717	8955.529	5428.813	-0.1439	1097.48	1097.34
393	260	8855.529	3628.813	-0.1405	1098.83	1098.69
394	118	9255.529	3228.813	-0.1397	1096.41	1096.27
395	272	6555.529	3728.813	-0.135	1110.82	1110.68
396	541	7755.529	4928.813	-0.135	1098.28	1098.15
397	505	5655.529	4828.813	-0.1346	1094	1093.86
398	678	8055.529	5328.813	-0.1334	1098.43	1098.29
399	115	8655.529	3228.813	-0.129	1096.69	1096.56
400	375	9155.529	4328.813	-0.1283	1107.85	1107.72
401	677	7955.529	5328.813	-0.1272	1096.8	1096.67
402	466	9155.529	4628.813	-0.1253	1099	1098.87
403	674	7655.529	5328.813	-0.1223	1095	1094.88
404	696	6355.529	5428.813	-0.1104	1093.85	1093.74
405	480	6855.529	4728.813	-0.1036	1102.9	1102.8
406	693	6055.529	5428.813	-0.1008	1093.04	1092.94
407	848	9355.529	5928.813	-0.1003	1109.22	1109.12
408	411	5655.529	4528.813	-0.0986	1094	1093.9
409	874	6855.529	6128.813	-0.0922	1098.18	1098.09
410	603	7655.529	5128.813	-0.0889	1095.58	1095.49
411	779	9155.529	5628.813	-0.088	1100.92	1100.83
412	271	6455.529	3728.813	-0.085	1110.08	1109.99
413	617	5555.529	5228.813	-0.0807	1096.9	1096.82
414	499	9355.529	4728.813	-0.078	1106.5	1106.43
415	165	5955.529	3428.813	-0.0743	1101.49	1101.41
416	761	5855.529	5628.813	-0.0716	1096.86	1096.79
417	536	6755.529	4928.813	-0.0687	1093.71	1093.64
418	551	8755.529	4928.813	-0.0681	1098.91	1098.85
419	766	6755.529	5628.813	-0.0665	1094	1093.93
420	461	8655.529	4628.813	-0.0633	1096.45	1096.39
421	620	5855.529	5228.813	-0.0617	1094	1093.94
422	225	8955.529	3528.813	-0.0603	1098	1097.94
423	801	8955.529	5728.813	-0.0576	1101.48	1101.42
424	188	8855.529	3428.813	-0.0561	1095.37	1095.31
425	557	5755.529	5028.813	-0.0441	1095.09	1095.04
426	815	6755.529	5828.813	-0.0365	1096.81	1096.77

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

427	416	6755.529	4528.813	-0.0361	1093	1092.96
428	432	8855.529	4528.813	-0.0346	1097	1096.97
429	738	6855.529	5528.813	-0.0291	1094	1093.97
430	522	8655.529	4828.813	-0.0269	1098.64	1098.61
431	596	6955.529	5128.813	-0.0237	1093.66	1093.63
432	720	9255.529	5428.813	-0.0226	1110.31	1110.28
433	259	8755.529	3628.813	-0.0224	1098.22	1098.2
434	629	6755.529	5228.813	-0.0189	1094	1093.98
435	490	8455.529	4728.813	-0.0185	1097.58	1097.56
436	709	7655.529	5428.813	-0.0143	1095.33	1095.32
437	523	8755.529	4828.813	-0.0089	1098.64	1098.63
438	673	7555.529	5328.813	-0.0055	1095.05	1095.05
439	153	9055.529	3328.813	-0.0038	1098.54	1098.53
440	561	6655.529	5028.813	-0.0025	1093.97	1093.96
441	685	8855.529	5328.813	-0.0015	1099	1099
442	185	8555.529	3428.813	0.0016	1097	1097
443	408	9655.529	4428.813	0.0024	1103.24	1103.25
444	749	8855.529	5528.813	0.0027	1099	1099
445	149	8655.529	3328.813	0.0038	1096.97	1096.97
446	504	5555.529	4828.813	0.0069	1094	1094.01
447	360	6555.529	4328.813	0.0093	1107.55	1107.56
448	133	6455.529	3328.813	0.0096	1099.34	1099.35
449	531	5655.529	4928.813	0.0101	1094.87	1094.88
450	607	8055.529	5128.813	0.0128	1099.94	1099.96
451	867	9555.529	6028.813	0.0131	1104	1104.01
452	276	7155.529	3728.813	0.0134	1104.69	1104.7
453	77	7255.529	3128.813	0.0141	1096.71	1096.73
454	650	8855.529	5228.813	0.0189	1100.54	1100.55
455	728	5855.529	5528.813	0.0189	1092.73	1092.75
456	391	7555.529	4428.813	0.0198	1103.08	1103.1
457	488	8255.529	4728.813	0.0232	1096.99	1097.02
458	572	7855.529	5028.813	0.0246	1102.52	1102.54
459	540	7655.529	4928.813	0.0267	1096.45	1096.48
460	853	5755.529	6028.813	0.0295	1093.65	1093.68
461	781	9355.529	5628.813	0.0296	1101.06	1101.08
462	800	8855.529	5728.813	0.0333	1100.53	1100.57
463	602	7555.529	5128.813	0.0338	1095.59	1095.62
464	820	7955.529	5828.813	0.0352	1098.73	1098.77
465	764	6555.529	5628.813	0.036	1095.81	1095.84

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

466	608	8155.529	5128.813	0.0368	1097.51	1097.55
467	588	5955.529	5128.813	0.0377	1105.59	1105.63
468	390	6955.529	4428.813	0.0384	1109.06	1109.1
469	61	9555.529	3028.813	0.0389	1096.5	1096.54
470	842	7955.529	5928.813	0.0415	1098.32	1098.36
471	715	8755.529	5428.813	0.0417	1099	1099.04
472	829	9555.529	5828.813	0.0422	1111.4	1111.44
473	263	9155.529	3628.813	0.0444	1099.67	1099.72
474	473	5555.529	4728.813	0.0457	1094.49	1094.53
475	723	9555.529	5428.813	0.0472	1105.76	1105.81
476	729	5955.529	5528.813	0.0479	1093.43	1093.48
477	124	5555.529	3328.813	0.0506	1104.46	1104.51
478	258	8655.529	3628.813	0.0555	1098.57	1098.63
479	651	8955.529	5228.813	0.0567	1109.97	1110.02
480	595	6855.529	5128.813	0.0604	1093.31	1093.37
481	752	9155.529	5528.813	0.0607	1097.34	1097.41
482	767	6855.529	5628.813	0.0648	1094.51	1094.58
483	639	7755.529	5228.813	0.0681	1098.23	1098.29
484	671	7355.529	5328.813	0.0736	1095.47	1095.55
485	202	6055.529	3528.813	0.0741	1101.49	1101.57
486	866	9455.529	6028.813	0.076	1104	1104.07
487	41	5755.529	3028.813	0.0774	1101.83	1101.9
488	191	9155.529	3428.813	0.0795	1097.06	1097.14
489	786	5655.529	5728.813	0.0799	1093.43	1093.51
490	598	7155.529	5128.813	0.0912	1095.15	1095.25
491	443	5655.529	4628.813	0.0945	1093.58	1093.67
492	372	8255.529	4328.813	0.1084	1107.42	1107.53
493	645	8355.529	5228.813	0.1096	1099.78	1099.89
494	881	9455.529	6128.813	0.1117	1104	1104.11
495	873	6755.529	6128.813	0.1127	1096.85	1096.97
496	797	7855.529	5728.813	0.1152	1097	1097.11
497	357	5655.529	4328.813	0.116	1093.75	1093.86
498	406	9455.529	4428.813	0.118	1093.91	1094.03
499	437	9355.529	4528.813	0.1189	1095.78	1095.9
500	58	9255.529	3028.813	0.1235	1110.97	1111.09
501	847	9255.529	5928.813	0.125	1100.5	1100.63
502	528	9655.529	4828.813	0.1254	1110.58	1110.71
503	514	7855.529	4828.813	0.1276	1102.94	1103.06
504	845	9055.529	5928.813	0.1304	1106.52	1106.65

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

505	156	9355.529	3328.813	0.1348	1097.36	1097.49
506	459	8455.529	4628.813	0.1351	1096.72	1096.85
507	558	5855.529	5028.813	0.138	1104.03	1104.17
508	383	5755.529	4428.813	0.1382	1093.85	1093.99
509	632	7055.529	5228.813	0.1382	1094	1094.14
510	12	9355.529	2828.813	0.1392	1110.49	1110.63
511	164	5855.529	3428.813	0.1439	1101	1101.14
512	552	8855.529	4928.813	0.1456	1099.88	1100.02
513	882	9555.529	6128.813	0.1467	1104	1104.14
514	739	6955.529	5528.813	0.1471	1096.66	1096.8
515	777	8955.529	5628.813	0.1479	1100.78	1100.93
516	122	9655.529	3228.813	0.1482	1103.97	1104.12
517	792	6855.529	5728.813	0.1494	1095.73	1095.88
518	885	9455.529	6228.813	0.1504	1104	1104.15
519	43	5955.529	3028.813	0.1506	1101.7	1101.86
520	262	9055.529	3628.813	0.1512	1099.34	1099.49
521	425	8155.529	4528.813	0.1524	1095.7	1095.85
522	858	6855.529	6028.813	0.1547	1095.93	1096.08
523	32	8455.529	2928.813	0.1574	1097.49	1097.65
524	577	8355.529	5028.813	0.1574	1098.24	1098.4
525	283	8255.529	3728.813	0.1589	1099.12	1099.28
526	209	6755.529	3528.813	0.1607	1098.92	1099.08
527	434	9055.529	4528.813	0.1624	1097.65	1097.81
528	635	7355.529	5228.813	0.1626	1094.76	1094.93
529	886	9555.529	6228.813	0.1642	1104	1104.16
530	548	8455.529	4928.813	0.1656	1098.31	1098.48
531	297	7255.529	3828.813	0.166	1107.19	1107.35
532	744	7755.529	5528.813	0.1681	1095.89	1096.06
533	862	7755.529	6028.813	0.1696	1096.82	1096.99
534	532	5755.529	4928.813	0.1719	1095.31	1095.48
535	385	5955.529	4428.813	0.1723	1109.48	1109.65
536	888	9455.529	6328.813	0.1756	1107.81	1107.99
537	438	9455.529	4528.813	0.1758	1097.56	1097.73
538	676	7855.529	5328.813	0.1791	1097	1097.18
539	666	6855.529	5328.813	0.1813	1093.99	1094.17
540	583	5455.529	5128.813	0.182	1106.78	1106.96
541	883	9655.529	6128.813	0.1853	1104	1104.18
542	93	5655.529	3228.813	0.1854	1101.02	1101.2
543	114	8555.529	3228.813	0.1866	1094.31	1094.49

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

544	60	9455.529	3028.813	0.1889	1096.27	1096.46
545	712	7955.529	5428.813	0.1896	1097.68	1097.87
546	826	9255.529	5828.813	0.1899	1096.6	1096.79
547	511	7555.529	4828.813	0.1915	1109.26	1109.45
548	218	8255.529	3528.813	0.1925	1098.21	1098.4
549	448	6755.529	4628.813	0.1968	1093	1093.2
550	550	8655.529	4928.813	0.1997	1098.2	1098.4
551	168	6255.529	3428.813	0.2004	1101.04	1101.24
552	42	5855.529	3028.813	0.2077	1101.7	1101.91
553	655	5755.529	5328.813	0.2128	1093	1093.21
554	503	5455.529	4828.813	0.2148	1102.77	1102.99
555	412	5755.529	4528.813	0.2189	1093.57	1093.79
556	641	7955.529	5228.813	0.222	1096.23	1096.46
557	857	6755.529	6028.813	0.2256	1095.59	1095.81
558	861	7655.529	6028.813	0.2281	1098.82	1099.05
559	708	7555.529	5428.813	0.2299	1095.54	1095.77
560	376	9255.529	4328.813	0.2309	1108.56	1108.79
561	571	7755.529	5028.813	0.2328	1095.61	1095.84
562	559	6455.529	5028.813	0.2351	1107.81	1108.04
563	200	5855.529	3528.813	0.2356	1101.62	1101.85
564	616	5455.529	5228.813	0.2374	1108.52	1108.75
565	192	9255.529	3428.813	0.2395	1097.19	1097.43
566	426	8255.529	4528.813	0.2406	1095.95	1096.19
567	204	6255.529	3528.813	0.2413	1101.2	1101.44
568	344	6655.529	4228.813	0.2413	1111.45	1111.69
569	579	8555.529	5028.813	0.2419	1098.43	1098.68
570	460	8555.529	4628.813	0.2432	1097.62	1097.86
571	67	5855.529	3128.813	0.2457	1102.01	1102.25
572	750	8955.529	5528.813	0.2512	1100.36	1100.61
573	273	6655.529	3728.813	0.2554	1111.62	1111.88
574	832	5755.529	5928.813	0.2591	1093.65	1093.91
575	647	8555.529	5228.813	0.2628	1099.3	1099.56
576	55	8355.529	3028.813	0.2642	1096.15	1096.42
577	600	7355.529	5128.813	0.2671	1094.88	1095.14
578	246	6955.529	3628.813	0.2703	1101.45	1101.72
579	4	6055.529	2828.813	0.2755	1105.45	1105.73
580	521	8555.529	4828.813	0.2789	1099	1099.28
581	841	7855.529	5928.813	0.2809	1096.73	1097.01
582	53	8155.529	3028.813	0.2811	1100.09	1100.37

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

583	856	6655.529	6028.813	0.2833	1096.44	1096.72
584	526	9055.529	4828.813	0.2885	1110.19	1110.47
585	238	6155.529	3628.813	0.292	1101.94	1102.23
586	601	7455.529	5128.813	0.2978	1094.93	1095.23
587	519	8355.529	4828.813	0.3021	1097.96	1098.27
588	85	8655.529	3128.813	0.3032	1108.29	1108.6
589	447	6655.529	4628.813	0.3061	1093.07	1093.38
590	83	8455.529	3128.813	0.3063	1094.98	1095.29
591	827	9355.529	5828.813	0.3098	1097.36	1097.67
592	210	6855.529	3528.813	0.3121	1098.7	1099.01
593	87	9355.529	3128.813	0.3129	1096.6	1096.91
594	578	8455.529	5028.813	0.3192	1098.4	1098.72
595	157	9455.529	3328.813	0.3202	1095.66	1095.98
596	110	8155.529	3228.813	0.3226	1095.81	1096.13
597	776	8855.529	5628.813	0.3237	1100.29	1100.62
598	295	9455.529	3728.813	0.3276	1103.27	1103.6
599	705	7255.529	5428.813	0.3281	1101.56	1101.89
600	240	6355.529	3628.813	0.3311	1101	1101.33
601	274	6955.529	3728.813	0.3351	1111.12	1111.46
602	500	9455.529	4728.813	0.339	1097.66	1098
603	852	5655.529	6028.813	0.3402	1093.03	1093.37
604	508	6655.529	4828.813	0.3428	1094.33	1094.68
605	546	8255.529	4928.813	0.354	1099	1099.35
606	444	5755.529	4628.813	0.3563	1093.35	1093.71
607	614	8755.529	5128.813	0.3612	1099.26	1099.62
608	410	5555.529	4528.813	0.3688	1093.76	1094.13
609	684	8755.529	5328.813	0.3717	1099	1099.37
610	415	6655.529	4528.813	0.3729	1093	1093.37
611	88	9455.529	3128.813	0.3779	1096.79	1097.16
612	103	6855.529	3228.813	0.3784	1096.61	1096.99
613	167	6155.529	3428.813	0.3815	1101.38	1101.76
614	855	6555.529	6028.813	0.3868	1107.28	1107.66
615	710	7755.529	5428.813	0.3887	1095.83	1096.22
616	549	8555.529	4928.813	0.3899	1098.38	1098.77
617	442	5555.529	4628.813	0.3923	1094.3	1094.69
618	28	7455.529	2928.813	0.3956	1105.59	1105.98
619	636	7455.529	5228.813	0.3961	1095.15	1095.55
620	201	5955.529	3528.813	0.3991	1101.4	1101.8
621	19	5955.529	2928.813	0.4012	1101.22	1101.62

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

622	235	5855.529	3628.813	0.4046	1108.4	1108.8
623	574	8055.529	5028.813	0.4046	1107.72	1108.12
624	81	8255.529	3128.813	0.4069	1095.65	1096.06
625	489	8355.529	4728.813	0.4091	1096.95	1097.36
626	189	8955.529	3428.813	0.4122	1097	1097.41
627	707	7455.529	5428.813	0.4198	1095.43	1095.85
628	236	5955.529	3628.813	0.4225	1105.07	1105.49
629	822	8855.529	5828.813	0.4262	1102.2	1102.63
630	373	8955.529	4328.813	0.4302	1108.35	1108.78
631	778	9055.529	5628.813	0.431	1101.13	1101.56
632	80	8155.529	3128.813	0.4335	1096.8	1097.23
633	805	9355.529	5728.813	0.4376	1102.34	1102.78
634	275	7055.529	3728.813	0.4398	1108.2	1108.64
635	509	6755.529	4828.813	0.4442	1093.49	1093.94
636	223	8755.529	3528.813	0.4453	1097.99	1098.44
637	243	6655.529	3628.813	0.4526	1099	1099.45
638	560	6555.529	5028.813	0.4529	1095.83	1096.28
639	754	9355.529	5528.813	0.4582	1098	1098.46
640	681	8455.529	5328.813	0.4591	1110.47	1110.93
641	711	7855.529	5428.813	0.4626	1096.5	1096.97
642	206	6455.529	3528.813	0.4662	1100.29	1100.76
643	84	8555.529	3128.813	0.471	1093.63	1094.1
644	296	9555.529	3728.813	0.4841	1105.78	1106.26
645	789	6555.529	5728.813	0.4847	1104.72	1105.21
646	472	5455.529	4728.813	0.4891	1101.7	1102.19
647	562	6755.529	5028.813	0.4966	1093.17	1093.67
648	589	6055.529	5128.813	0.4984	1110.95	1111.45
649	649	8755.529	5228.813	0.4989	1099.31	1099.81
650	520	8455.529	4828.813	0.5032	1098.47	1098.97
651	134	6555.529	3328.813	0.5051	1098.48	1098.99
652	341	5655.529	4228.813	0.5252	1098.71	1099.23
653	173	6755.529	3428.813	0.5311	1099.92	1100.45
654	768	6955.529	5628.813	0.5333	1107.15	1107.68
655	563	6855.529	5028.813	0.5356	1093.43	1093.97
656	464	8955.529	4628.813	0.5369	1096.25	1096.79
657	170	6455.529	3428.813	0.5385	1100.1	1100.64
658	247	7055.529	3628.813	0.5408	1101.25	1101.79
659	457	8255.529	4628.813	0.5439	1100.6	1101.15
660	245	6855.529	3628.813	0.5484	1099.74	1100.29

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

661	470	9555.529	4628.813	0.5495	1097.31	1097.86
662	840	7755.529	5928.813	0.5562	1096.38	1096.93
663	819	7855.529	5828.813	0.5578	1096.09	1096.65
664	718	9055.529	5428.813	0.5678	1100.63	1101.2
665	207	6555.529	3528.813	0.5724	1099.79	1100.36
666	433	8955.529	4528.813	0.5774	1095.97	1096.55
667	694	6155.529	5428.813	0.5796	1094.42	1095
668	872	6655.529	6128.813	0.5808	1101.28	1101.86
669	782	9455.529	5628.813	0.5849	1101.35	1101.93
670	10	8355.529	2828.813	0.5882	1109.73	1110.32
671	30	8255.529	2928.813	0.6007	1095.25	1095.85
672	704	7155.529	5428.813	0.6008	1100.78	1101.39
673	745	7855.529	5528.813	0.6105	1096.41	1097.02
674	469	9455.529	4628.813	0.6187	1097	1097.62
675	196	9655.529	3428.813	0.6195	1096.01	1096.63
676	479	6755.529	4728.813	0.6219	1093.07	1093.69
677	491	8555.529	4728.813	0.6221	1097.18	1097.8
678	147	8455.529	3328.813	0.6224	1094.2	1094.82
679	818	7755.529	5828.813	0.6229	1096	1096.62
680	644	8255.529	5228.813	0.6234	1097.61	1098.24
681	462	8755.529	4628.813	0.625	1095.35	1095.97
682	724	9655.529	5428.813	0.6308	1110.65	1111.28
683	755	9455.529	5528.813	0.6329	1099.98	1100.61
684	796	7755.529	5728.813	0.6389	1096.25	1096.89
685	501	9555.529	4728.813	0.6448	1097.44	1098.09
686	695	6255.529	5428.813	0.6492	1093.34	1093.99
687	454	7955.529	4628.813	0.652	1107.39	1108.04
688	388	6755.529	4428.813	0.6562	1093.08	1093.73
689	611	8455.529	5128.813	0.6585	1098.11	1098.77
690	265	9355.529	3628.813	0.6637	1097	1097.66
691	310	8555.529	3828.813	0.6658	1109.94	1110.6
692	648	8655.529	5228.813	0.6824	1098.38	1099.07
693	382	5655.529	4428.813	0.6845	1093.26	1093.94
694	493	8755.529	4728.813	0.688	1096.79	1097.47
695	580	8655.529	5028.813	0.6888	1098.22	1098.91
696	68	5955.529	3128.813	0.6908	1101.6	1102.29
697	743	7655.529	5528.813	0.6978	1095.42	1096.12
698	205	6355.529	3528.813	0.6984	1101	1101.7
699	808	9655.529	5728.813	0.7011	1109.35	1110.05

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

700	875	6955.529	6128.813	0.7018	1110.49	1111.19
701	734	6455.529	5528.813	0.7069	1095.35	1096.05
702	581	8755.529	5028.813	0.7099	1099.21	1099.92
703	303	7855.529	3828.813	0.7171	1102.13	1102.85
704	439	9555.529	4528.813	0.7179	1095.7	1096.42
705	257	8555.529	3628.813	0.7219	1097	1097.72
706	625	6355.529	5228.813	0.7219	1095.17	1095.89
707	553	8955.529	4928.813	0.7264	1108.93	1109.66
708	402	9055.529	4428.813	0.7284	1096.81	1097.54
709	527	9555.529	4828.813	0.7293	1107.92	1108.65
710	169	6355.529	3428.813	0.7325	1100.35	1101.09
711	338	8055.529	4128.813	0.7327	1098.98	1099.71
712	478	6655.529	4728.813	0.7361	1093	1093.74
713	721	9355.529	5428.813	0.7411	1108.79	1109.53
714	771	7755.529	5628.813	0.748	1095.93	1096.68
715	70	6155.529	3128.813	0.7496	1102.73	1103.48
716	716	8855.529	5428.813	0.75	1098.16	1098.91
717	538	6955.529	4928.813	0.7517	1107.27	1108.02
718	82	8355.529	3128.813	0.7545	1095.08	1095.84
719	763	6455.529	5628.813	0.7637	1107.19	1107.96
720	31	8355.529	2928.813	0.7744	1096	1096.77
721	371	8155.529	4328.813	0.7851	1099	1099.78
722	467	9255.529	4628.813	0.795	1097.89	1098.69
723	612	8555.529	5128.813	0.7952	1098.32	1099.12
724	381	5555.529	4428.813	0.8075	1093	1093.81
725	740	7055.529	5528.813	0.8162	1106.88	1107.7
726	112	8355.529	3228.813	0.8176	1093.49	1094.31
727	806	9455.529	5728.813	0.8185	1103.09	1103.91
728	285	8455.529	3728.813	0.834	1099.19	1100.03
729	547	8355.529	4928.813	0.8371	1098	1098.84
730	111	8255.529	3228.813	0.8378	1095.08	1095.92
731	751	9055.529	5528.813	0.8435	1096.82	1097.66
732	148	8555.529	3328.813	0.8509	1095.02	1095.87
733	468	9355.529	4628.813	0.8532	1097	1097.85
734	613	8655.529	5128.813	0.8556	1098	1098.86
735	171	6555.529	3428.813	0.8761	1100	1100.88
736	474	5655.529	4728.813	0.8763	1094.06	1094.94
737	266	9455.529	3628.813	0.8836	1098	1098.88
738	34	9355.529	2928.813	0.8844	1097.81	1098.7

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

739	621	5955.529	5228.813	0.8944	1093.47	1094.36
740	312	7355.529	3928.813	0.8958	1105.56	1106.46
741	854	5855.529	6028.813	0.9009	1102.87	1103.77
742	65	5655.529	3128.813	0.9072	1101.44	1102.35
743	117	9155.529	3228.813	0.9092	1108.73	1109.64
744	811	5755.529	5828.813	0.9113	1093	1093.91
745	770	7655.529	5628.813	0.9234	1095.91	1096.83
746	174	6855.529	3428.813	0.9255	1099.34	1100.26
747	29	8155.529	2928.813	0.9265	1107	1107.92
748	441	5455.529	4628.813	0.9353	1098.97	1099.9
749	880	9355.529	6128.813	0.9394	1104.24	1105.17
750	11	8455.529	2828.813	0.9422	1109.23	1110.17
751	24	7055.529	2928.813	0.9471	1093.75	1094.7
752	54	8255.529	3028.813	0.9531	1095	1095.95
753	343	5855.529	4228.813	0.9548	1109.18	1110.13
754	440	9655.529	4528.813	0.9586	1097.25	1098.21
755	732	6255.529	5528.813	0.9619	1106.74	1107.71
756	719	9155.529	5428.813	0.975	1107.94	1108.92
757	52	7455.529	3028.813	0.9832	1100.8	1101.78
758	812	5855.529	5828.813	0.9887	1105.93	1106.91
759	417	6855.529	4528.813	0.9916	1096.18	1097.17
760	17	5755.529	2928.813	1.0022	1100.93	1101.93
761	234	5755.529	3628.813	1.0189	1108.84	1109.86
762	64	5555.529	3128.813	1.0256	1102.98	1104.01
763	772	7855.529	5628.813	1.0474	1096	1097.05
764	332	7455.529	4128.813	1.0497	1106.91	1107.96
765	753	9255.529	5528.813	1.0685	1096	1097.07
766	23	6955.529	2928.813	1.0762	1094.57	1095.65
767	92	5555.529	3228.813	1.0767	1102.42	1103.5
768	821	8755.529	5828.813	1.0853	1103.83	1104.91
769	398	8255.529	4428.813	1.086	1099.26	1100.34
770	640	7855.529	5228.813	1.092	1097	1098.09
771	582	8855.529	5028.813	1.1361	1101.68	1102.82
772	194	9455.529	3428.813	1.1548	1097.74	1098.89
773	542	7855.529	4928.813	1.1643	1102.94	1104.11
774	397	8155.529	4428.813	1.1736	1095.01	1096.18
775	830	5555.529	5928.813	1.1757	1098.82	1100
776	494	8855.529	4728.813	1.1806	1096.24	1097.42
777	66	5755.529	3128.813	1.1872	1101	1102.19

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

778	445	5855.529	4628.813	1.1921	1105.33	1106.52
779	175	6955.529	3428.813	1.1965	1095.34	1096.54
780	876	7655.529	6128.813	1.2017	1107.19	1108.39
781	783	9555.529	5628.813	1.2076	1101	1102.21
782	16	5655.529	2928.813	1.214	1102.05	1103.26
783	731	6155.529	5528.813	1.2184	1105.4	1106.62
784	458	8355.529	4628.813	1.2286	1094.99	1096.22
785	135	6655.529	3328.813	1.2324	1095.84	1097.07
786	69	6055.529	3128.813	1.2459	1102	1103.25
787	211	6955.529	3528.813	1.2475	1099.12	1100.37
788	576	8255.529	5028.813	1.2588	1098.88	1100.14
789	137	6855.529	3328.813	1.2834	1095.18	1096.46
790	679	8155.529	5328.813	1.2953	1107.2	1108.5
791	160	9755.529	3328.813	1.2981	1098.95	1100.25
792	50	7255.529	3028.813	1.3059	1099.82	1101.12
793	568	7455.529	5028.813	1.3191	1101.91	1103.23
794	44	6055.529	3028.813	1.3201	1101	1102.32
795	76	7155.529	3128.813	1.3303	1094.64	1095.97
796	436	9255.529	4528.813	1.3399	1094.83	1096.17
797	714	8655.529	5428.813	1.3443	1105.52	1106.86
798	172	6655.529	3428.813	1.3607	1098.01	1099.37
799	762	5955.529	5628.813	1.3763	1104.3	1105.68
800	294	9355.529	3728.813	1.3852	1102.78	1104.17
801	879	7955.529	6128.813	1.401	1108.35	1109.75
802	810	5655.529	5828.813	1.4576	1093	1094.46
803	237	6055.529	3628.813	1.4579	1102.98	1104.43
804	20	6055.529	2928.813	1.4662	1100.71	1102.17
805	517	8155.529	4828.813	1.4857	1103.16	1104.65
806	780	9255.529	5628.813	1.4899	1097.55	1099.04
807	374	9055.529	4328.813	1.4921	1106.64	1108.13
808	27	7355.529	2928.813	1.5002	1100.2	1101.7
809	116	8755.529	3228.813	1.5113	1107.16	1108.67
810	769	7555.529	5628.813	1.5149	1105.72	1107.23
811	622	6055.529	5228.813	1.5167	1098.76	1100.28
812	45	6155.529	3028.813	1.5419	1105.75	1107.29
813	587	5855.529	5128.813	1.5439	1095.5	1097.05
814	18	5855.529	2928.813	1.5499	1100	1101.55
815	104	6955.529	3228.813	1.5535	1095.12	1096.67
816	355	5455.529	4328.813	1.5623	1104.95	1106.51

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

817	182	8255.529	3428.813	1.6022	1098.66	1100.27
818	9	7355.529	2828.813	1.6116	1109.03	1110.64
819	860	7555.529	6028.813	1.6199	1109.12	1110.74
820	871	6555.529	6128.813	1.6427	1107.88	1109.52
821	39	5555.529	3028.813	1.6478	1106.2	1107.85
822	428	8455.529	4528.813	1.6478	1102.13	1103.78
823	878	7855.529	6128.813	1.6952	1102.5	1104.19
824	139	7055.529	3328.813	1.7034	1095.7	1097.4
825	40	5655.529	3028.813	1.7226	1100.53	1102.25
826	145	8255.529	3328.813	1.7591	1094	1095.76
827	702	6955.529	5428.813	1.7677	1096.08	1097.84
828	5	6955.529	2828.813	1.7701	1108.97	1110.74
829	113	8455.529	3228.813	1.7872	1093.51	1095.3
830	539	7555.529	4928.813	1.7933	1103.41	1105.21
831	565	7055.529	5028.813	1.8059	1104.98	1106.79
832	176	7055.529	3428.813	1.8146	1095	1096.81
833	291	9055.529	3728.813	1.8268	1103.09	1104.92
834	401	8955.529	4428.813	1.8307	1099.33	1101.16
835	26	7255.529	2928.813	1.8729	1098.68	1100.55
836	567	7355.529	5028.813	1.8772	1109.16	1111.04
837	146	8355.529	3328.813	1.8855	1094.52	1096.41
838	554	5455.529	5028.813	1.896	1104.32	1106.22
839	340	5555.529	4228.813	1.906	1103.95	1105.86
840	725	5555.529	5528.813	1.9603	1095.77	1097.73
841	359	5855.529	4328.813	1.9821	1101.11	1103.09
842	281	8055.529	3728.813	2.01	1108.1	1110.11
843	73	6855.529	3128.813	2.0402	1093.03	1095.07
844	2	5855.529	2828.813	2.0433	1101.57	1103.61
845	606	7955.529	5128.813	2.0654	1097.59	1099.65
846	22	6855.529	2928.813	2.0712	1104.18	1106.26
847	713	8055.529	5428.813	2.0798	1107.23	1109.31
848	290	8955.529	3728.813	2.0919	1103.09	1105.18
849	74	6955.529	3128.813	2.0931	1094.51	1096.61
850	47	6955.529	3028.813	2.0955	1093.39	1095.49
851	309	8455.529	3828.813	2.1235	1107.24	1109.36
852	56	8455.529	3028.813	2.1468	1095.44	1097.58
853	48	7055.529	3028.813	2.1962	1093.11	1095.31
854	824	9055.529	5828.813	2.2367	1097.39	1099.63
855	828	9455.529	5828.813	2.2382	1102.14	1104.38

Exhibit C

September 10, 2020

West Shores Lake Bathymetric Change Analysis

TD2 File No. 200-20-115

856	456	8155.529	4628.813	2.2418	1094.19	1096.43
857	407	9555.529	4428.813	2.2483	1091.45	1093.7
858	100	6355.529	3228.813	2.3177	1106.14	1108.46
859	400	8855.529	4428.813	2.3344	1103.79	1106.12
860	78	7355.529	3128.813	2.3543	1100.41	1102.77
861	795	7655.529	5728.813	2.356	1098.89	1101.25
862	33	8555.529	2928.813	2.3623	1101.26	1103.62
863	136	6755.529	3328.813	2.379	1093	1095.38
864	404	9255.529	4428.813	2.4752	1091.23	1093.71
865	221	8555.529	3528.813	2.4977	1095.12	1097.62
866	825	9155.529	5828.813	2.5407	1093	1095.54
867	289	8855.529	3728.813	2.6087	1102.5	1105.11
868	817	7655.529	5828.813	2.6195	1100.61	1103.23
869	138	6955.529	3328.813	2.7063	1094.43	1097.14
870	688	5555.529	5428.813	2.7244	1095.47	1098.2
871	102	6755.529	3228.813	2.85	1093	1095.85
872	846	9155.529	5928.813	2.8775	1094.37	1097.24
873	405	9355.529	4428.813	2.9473	1091.72	1094.67
874	586	5755.529	5128.813	3.0539	1093.97	1097.02
875	419	7555.529	4528.813	3.6466	1104.31	1107.95
876	46	6855.529	3028.813	3.8466	1094.83	1098.68
877	109	7455.529	3228.813	3.9084	1101.19	1105.1
878	101	6655.529	3228.813	4.1851	1095.79	1099.97
879	619	5755.529	5228.813	5.0385	1093.28	1098.32
880	89	9555.529	3128.813	6.0244	1091.02	1097.05
881	865	9355.529	6028.813	6.2602	1106.04	1112.3